




Theme: 5. Requirements applicable to motor vehicles in relation with transportation. Scope of visibility depending on dimensions




















Points	K	No	Question, answers	Graphic images
3		5/1.	<p>The maximum permissible width of a road vehicle (with the exception of road vehicles with refrigerating or isothermal superstructures) used on roads open for public use is:</p> <p>2,25 m 2,55 m 2,7 m 3,0 m</p>	
3		5/2.	<p>For which of the widths listed below, the road vehicle is not considered oversized?</p> <p>2,35 m 2,55 m 2,75 m 2,95 m</p>	
3		5/3.	<p>The permissible maximum height of a road vehicle used on roads open for public use is:</p> <p>3,75 m 4,0 m 4,25 m 4,5 m</p>	
3		5/4.	<p>For which of the heights listed below the dimensions of the road vehicle are not considered oversized?</p> <p>3,75 m 4,0 m 4,25 m 4,5 m</p>	
3		5/5.	<p>The maximum permissible length of motor vehicles used for transporting goods is:</p> <p>9 m 10 m 11 m 12 m</p>	
3		5/7.	<p>The maximum permissible length of trailers used on roads open for public use is:</p> <p>9 m 10 m 11 m 12 m</p>	
3		5/8.	<p>The maximum permissible length of a combination of vehicles used on roads open for public use is:</p> <p>16,75 m 17,50 m 18,75 m 19,50 m</p>	

















3		5/9.	<p>In which of the cases listed below the road vehicle must be marked with the identification sign “Oversized road vehicle”?</p> <p>its width, including the load, is 2.8 m</p> <p>its height, including the load, is 2.8 m</p> <p>its length, including the load, is 12 m</p>	
3		5/10.	<p>In which of the cases listed below the road vehicle must be marked with the identification sign “Oversized road vehicle”?</p> <p>its width, including the load, is 2.2 m</p> <p>its height, including the load, is 4.2 m</p> <p>its length, including the load, is 12 m</p>	
3		5/11.	<p>In which of the cases listed below the road vehicle must be marked with the identification sign “Oversized road vehicle”?</p> <p>its width, including the load, is 2.6 m</p> <p>its height, including the load, is 4.2 m</p> <p>its length, including the load, is 12 m</p>	
3		5/12.	<p>In which of the cases listed below the road vehicle must be marked with the identification sign “Oversized road vehicle”?</p> <p>its height, including the load, is 2.6 m</p> <p>its height, including the load, is 3.5 m</p> <p>its height, including the load, is 4.6 m</p> <p>its height, including the load, is 4.2 m</p>	
3		5/13.	<p>The mass of the laden vehicle includes:</p> <p>the mass of the vehicle</p> <p>the mass of the driver and of the passengers in the vehicle</p> <p>the mass of the load</p> <p>only the mass of the vehicle and the mass of the load</p>	
3		5/14.	<p>The "maximum permissible mass" of the vehicle is:</p> <p>the maximum mass when loaded, specified as permissible by the competent authorities</p> <p>the maximum mass when loaded as specified by the manufacturer</p> <p>the mass of the vehicle and the mass of the load</p> <p>the maximum mass of the vehicle with the driver and passengers in it</p>	
3		5/15.	<p>The technical maximum permissible mass of the vehicle is:</p> <p>the maximum mass when loaded as specified by the manufacturer and permissible for its design and manufacturing</p> <p>the maximum permissible mass when loaded, as specified by the competent authorities</p> <p>the mass of the vehicle and the mass of the load, which can be fitted in the load section of the vehicle</p>	
3		5/16.	<p>The traffic of oversized road vehicles is forbidden:</p> <p>when visibility is reduced below 50 m</p> <p>with black ice on the road</p> <p>during the dark portion of 24-hour period</p> <p>when the visibility is limited</p>	

3		5/17.	<p>The traffic of oversized road vehicles is forbidden if the visibility is reduced to less than:</p> <p>50 m 100 m 150 m 200 m</p>	
3		5/18.	<p>The traffic of oversized road vehicles is forbidden during the dark portion of a 24-hour period.</p> <p>correct incorrect</p>	
3		5/19.	<p>In which of the cases listed below is the traffic of oversized road vehicles forbidden?</p> <p>during the dark portion of the 24-hour period with black ice on the road during the periods of maximum traffic intensity during official holidays and the days immediately before them</p>	
3		5/20.	<p>The traffic of oversized road vehicles is forbidden during the periods of maximum traffic intensity.</p> <p>correct incorrect</p>	
3		5/21.	<p>Is the traffic of oversized road vehicles allowed without a permit issued by the respective road administration?</p> <p>yes no</p>	
3		5/22.	<p>The permit for travel of an oversized road vehicle across more than two neighbouring districts is issued by:</p> <p>The Road Infrastructure Agency The Ministry of the Interior The Executive Agency Road Transport Administration The governors of the respective districts</p>	
3		5/23.	<p>The permit for travel of an oversized road vehicle across two neighbouring districts is issued by:</p> <p>the road authorities of the district of departure of the road vehicle the road authorities of the district of destination of the road vehicle the road authorities of the districts, on whose territory transportation is performed</p>	
3		5/24.	<p>The permits for travel of oversized road vehicles on local roads is issued by:</p> <p>the owner of the road The Road Infrastructure Agency The district directorate of the Ministry of the Interior The district department of the Executive Agency Road Transport Administration</p>	

3		5/25.	<p>The permits for travel of oversized road vehicles on roads within populated areas is issued by:</p> <p>the respective municipality</p> <p>The Road Infrastructure Agency</p> <p>the respective district Traffic Police department</p> <p>The district department of the Executive Agency Road Transport Administration</p>	
3		5/26.	<p>Oversized road vehicles must be accompanied by an explicitly identified vehicle in case the total mass of the road vehicle exceeds:</p> <p>60 t</p> <p>50 t</p> <p>40 t</p> <p>30 t</p>	
3		5/27.	<p>Oversized road vehicles must be marked with “Oversized road vehicles” identification signs:</p> <p>at the front of the vehicle</p> <p>at the rear of the vehicle</p> <p>on the side of the vehicle</p> <p>above the driver’s cab of the vehicle</p>	
3		5/28.	<p>Oversized road vehicles over 12 m long must be marked on the side and rear surfaces by:</p> <p>yellow, white or red light-reflecting strips</p> <p>one-line or dashed blue light-reflecting strips</p> <p>supplementary signs with an explanatory text</p>	
3		5/29.	<p>Oversized road vehicles with over 22 m long must be marked, besides the identification sign and light-reflecting strips, also with a sign showing their length.</p> <p>correct</p> <p>incorrect</p>	
3		5/30.	<p>The tractor in a combination of road vehicles must be marked by:</p> <p>three identical orange-lights</p> <p>emergency lights</p> <p>high-beam headlights</p>	
3		5/31.	<p>The vehicles accompanying oversized road vehicles are marked by:</p> <p>an “Oversized road vehicle” identification sign</p> <p>an “Attention! Danger!” sign</p> <p>only the image of the road traffic sign for “Attention! Danger!”</p> <p>only an identification sign for “Oversized road vehicle”</p>	
3		5/32.	<p>The vehicles accompanying oversized road vehicles are marked by at least one yellow blinking or flashing light visible for the other road users.</p> <p>correct</p> <p>incorrect</p>	
3		5/33.	<p>The vehicles accompanying oversized road vehicles must be driven with:</p> <p>low-beam headlights on</p> <p>high-beam headlights on</p> <p>emergency lights on</p>	

3		5/34.	<p>The road traffic of oversized road vehicles is controlled by the Road Infrastructure Agency with the assistance of the respective control authority of the Ministry of the Interior.</p> <p>correct</p> <p>incorrect</p>	
3		5/35.	<p>Speed-limiting devices must be installed on road vehicles used for the transportation of goods regardless of the date of first registration in case their technical maximum permissible mass:</p> <p>exceeds 7,5 t</p> <p>exceeds 10 t</p> <p>exceeds 12 t</p>	
3		5/36.	<p>The speed-limiting device installed on motor vehicles with a technical maximum permissible mass exceeding 12 t must be adjusted to assure a maximum speed of no more than:</p> <p>80 km/h</p> <p>90 km/h</p> <p>100 km/h</p>	
3		5/37.	<p>The main function of the speed-limiting device is to control the supply of fuel to the engine in order to limit the speed of the vehicle to the preset value:</p> <p>correct</p> <p>incorrect</p>	
3		5/38.	<p>Which of the road users listed below are most endangered while in the blind zones of a vehicle used for the transportation of goods?</p> <p>motorcycle riders</p> <p>bicycles riders</p> <p>the drivers of self-propelled machines</p> <p>the drivers of slow moving road vehicles</p>	
3		5/39.	<p>This identification sign is used to mark:</p> <p>vehicles used for the transportation of goods with a maximum permissible mass above 3500 kg and more than 7 m long</p> <p>all vehicles used for the transportation of goods</p> <p>vehicles used for the transportation of goods with a maximum permissible mass above 3500 kg regardless of the length of the motor vehicle</p>	 <p><i>images from 3/5.0 theme 5</i></p>
3		5/40. 0	<p>This identification sign is used to mark:</p> <p>vehicles used for the transportation of goods with a maximum permissible mass above 3500 kg and more than 7 m long</p> <p>all vehicles used for the transportation of goods</p> <p>vehicles used for the transportation of goods with a maximum permissible mass above 3500 kg regardless of the length of the motor vehicle</p>	
3		5/40. 1	<p>This identification sign is used to mark:</p> <p>vehicles used for the transportation of goods with a maximum permissible mass above 3500 kg and more than 7 m long</p> <p>vehicles used for the transportation of goods with a maximum permissible mass above 2500 kg and more than 5 m long</p> <p>all vehicles used for the transportation of goods</p>	

3	5/41.	<p>This identification sign is used to mark:</p> <p>vehicles used for the transportation of goods with a maximum permissible mass above 3500 kg and more than 7 m long</p> <p>vehicles used for the transportation of goods with a maximum permissible mass above 2500 kg and more than 5 m long</p> <p>all vehicles used for the transportation of goods</p>	
3	5/42. 0	<p>Which of the identification signs shown below are used to mark vehicles used for the transportation of goods with a maximum permissible mass above 3500 kg and more than 7 m long?</p> <p>a. </p> <p>b. </p> <p>c. </p> <p>d. </p>	
3	5/42. 1	<p>Which of the identification signs shown below are used to mark vehicles used for the transportation of goods with a maximum permissible mass above 3500 kg and more than 7 m long?</p> <p>a. </p> <p>b. </p> <p>c. </p> <p>d. </p>	
3	5/42. 2	<p>Which of the identification signs shown below are used to mark vehicles used for the transportation of goods with a maximum permissible mass above 3500 kg and more than 7 m long?</p> <p>a. </p> <p>b. </p> <p>c. </p> <p>d. </p>	
3	5/42. 3	<p>Which of the identification signs shown below are used to mark vehicles used for the transportation of goods with a maximum permissible mass above 3500 kg and more than 7 m long?</p> <p>a. </p> <p>b. </p> <p>c. </p> <p>d. </p>	
3	5/43.	<p>This identification sign is used to mark:</p> <p>trailers, including semitrailers</p> <p>only semitrailers</p> <p>all trailers, with the exception of semitrailers</p>	
3	5/44.	<p>This identification sign is used to mark:</p> <p>trailers</p> <p>semitrailers</p> <p>vehicles used for the transportation of goods with a maximum permissible mass above 3,5 tonnes</p> <p>vehicles used for the transportation of goods with a maximum permissible mass above 7,5 tonnes</p>	

3		5/45. 0	<p>This identification sign is used to mark:</p> <p>only trailers with a mass of more than 750 kg</p> <p>all trailers, regardless of their mass</p> <p>only trailers with two or more axles</p> <p>all trailers, regardless of the number of axles</p>	
3		5/45. 1	<p>Which of the vehicles listed below are marked by this identification sign?</p> <p>trailers with two or more axles</p> <p>single-axle trailers</p> <p>vehicles used for the transportation of goods</p> <p>combination of road vehicles when towing a failed vehicle</p>	
3		5/46. 0	<p>Which of the identification signs are used to mark semitrailers?</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>a.</p> </div> <div style="text-align: center;">  <p>b.</p> </div> <div style="text-align: center;">  <p>c.</p> </div> <div style="text-align: center;">  <p>d.</p> </div> </div>	
3		5/46. 1	<p>Which of the identification signs are used to mark trailers?</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>a.</p> </div> <div style="text-align: center;">  <p>b.</p> </div> <div style="text-align: center;">  <p>c.</p> </div> <div style="text-align: center;">  <p>d.</p> </div> </div>	
3		5/46. 2	<p>Which of the identification signs are used to mark trailers?</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>a.</p> </div> <div style="text-align: center;">  <p>b.</p> </div> <div style="text-align: center;">  <p>c.</p> </div> <div style="text-align: center;">  <p>d.</p> </div> </div>	
3		5/47.	<p>This identification sign is used to mark:</p> <p>slow moving motor vehicles</p> <p>oversized motor vehicles</p> <p>motor vehicles used for the transportation of dangerous goods</p>	
3		5/48.	<p>This identification sign is used to mark:</p> <p>slow moving motor vehicles</p> <p>oversized road vehicles</p> <p>motor vehicles used for the carriage of dangerous goods</p>	
3		5/49.	<p>This identification sign is used to mark:</p> <p>motor vehicles used for the transportation of dangerous goods</p> <p>slow moving motor vehicles</p> <p>motor vehicles carrying an oversized load</p>	